


<1> SAFETY CHARACTERISTICS	0
<2> SIGNIFICANT CHARACTERISTICS	0
<CI> CUSTOMER INTERFACE	2



1	MAX.REBOUND LENGTH
2	MIN.COMPRESSION LENGTH
3	MARKING DETAILS PROVIA LOGO PROVIA PART NUMBER DATE OF MANUFACTURING
4	HARDNESS OF RUBBER PARTS 60-70 HS
5	WELD STRENGTH 35KN
6	THREAD COATING ADHESIVE
	COLOUR: RAL 9005B SEMI-BLACK

Non e' permesso copiare, o terzi o riprodurre questo documento, ne utilizzare il contenuto o renderlo comunque noto o terzi senza autorizzazione esplicita. Ogni infrazione costituisce un evidente abuso e comportera il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivanti da brevetti o modelli.

Copying of this document and giving it to others and the use or communication of the contents thereof, are forbidden without express authority. Contention of this restriction will constitute an evident abuse and result in a liability to the payment of damages. All rights are reserved in the event of the grant of patent or registration of a utility model or design. This document is the subject of copyright.

Toute communication ou reproduction de ce document, toute exploitation ou communication de son contenu sont interdites, sauf autorisation expresse. Tout manquement a cette regle constitue un abus evident et expose son auteur au versement de dommages et interets. Tous droits de propriete industrielle reserves, notamment en matiere de brevets et de modesles.

Wiedergabe sowie Vervielfältigung dieser Unterlagen, Verwertung und Mitteilung ihres Inhalts nicht gestattet, soweit nicht ausdrücklich ansonsten, zuwidergesprochen, ist. Weiterverbreiten, Stellen eines offensichtlichen Missbrauch dar und verpflichtet zu Schadensersatz. Alle Rechte hier den Fall der Patenterteilung oder Gebrauchsmuster-Eintragung vorbehalten.

Resistance force table of SAMPLE criterion - HYDRAULIC

V (m/s)	0.052	0.131	0.262	0.393	0.524
Rebound (N)	438	1195/1993	2141	2507	2398/3245
Compression (N)	495	983/1639	1624	1816	1672/2264
S (mm)	30	GAS REACTION FORCE		90±20 N	

General Specification: ISO 8015, JED-334-1, Size ISO 14405 LP		Copyright WABCO®		ProVia	
Further Technical Data: PRO 600 018 0		Date	Signature		
Doc. Code: 035		Sheet: 1 To 7		SHOCK ABSORBER	
General Tolerances JED-261		2023-01-17	Saravanan		
Range of Nominal Dimensions (± mm)		Checked			
Class 1)	≤ 50	> 50 ≤ 180	> 180 ≤ 400	> 400	
Fine	±0.5	±1	±1.5	±2	±3°
Medium	±1	±2	±3	±4	
Coarse	±2	±3.5	±5	±6.5	
Tapped Holes acc. -		Dimensions in mm			
1) Tolerance Class Applied Crossmarked		Mass	Scale	Material No.	
		1.5±0.5	1:1	PRO 600 024 0	
		Size	CAD System	Date of first issue: 2023-01-17	
		A 2	CREO	Doc.Code	Language
		ECN-No.		Revision	Techn. Resp.
		-		-	6961AM
		Replacement for			
				005	EN
				1/1	