



<I> SAFETY CHARACTERISTICS	0
<S> SIGNIFICANT CHARACTERISTICS	0
<CI> CUSTOMER INTERFACE	2

1	MAX.REBOUND LENGTH
2	MIN.COMPRESSION LENGTH
3	MARKING DETAILS PROVIA LOGO PROVIA PART NUMBER DATE OF MANUFACTURING
4	HARDNESS OF RUBBER PARTS 65-70 HS
5	WELD STRENGTH 60KN
6	WELD STRENGTH 55KN
	COLOUR: RAL 9005B SEMI-BLACK

Resistance force table of SAMPLE criterion - HYDRAULIC

V (m/s)	0.052	0.131	0.262	0.393	0.524
Rebound (N)	1628	4329/7215	6502	7002	6368/8616
Compression (N)	321	597/995	942	1062	1003/1359
S (mm)	100				

General Specifications: ISO 8015, JED-334-1, Size ISO H405 LP		Copyright WABCO®	
Further Technical Data: PRO 600 018 0		Date	Signature
Doc. Code: O35	Sheet: 1 To 7	2023-01-17	Scrovanon
General Tolerances JED-261		2023-01-17	Manivomon
Range of Nominal Dimensions ( ± mm)			
Class	1)	≤ 50	> 50 &lt; 180
Fine		±0.5	±1 ±1.5 ±2
Medium	x	±1	±2 ±3 ±4 ±3°
Coarse		±2	±3.5 ±5 ±6.5
Tapped Holes acc.			
1) Tolerance Class Applied Crossmarked			
Mass	Scale	Material No.	
6±1	1:1	PRO 600 037 0	
Size	CAD System	Doc. Code	Language
A 1	CREO	005	EN
Date of first issue: 2023-01-17		Sheet	
ECH-No.		Revision	Techn. Resp.
-		-	6961AM
Replacement for			

Non è permesso copiare o riprodurre questo documento, né utilizzare il contenuto o i marchi communi (senza permesso scritto) senza permesso scritto dalla WABCO. È vietata espressamente la ristampa o l'uso non autorizzato. Toute réimpression ou utilisation non autorisée sans la permission écrite de la WABCO est formellement interdite. Toute utilisation non autorisée sera considérée comme une violation des droits de propriété intellectuelle. All rights reserved. No part of this document may be reproduced or transmitted in any form or by any means electronic or mechanical, including photocopying and recording, or by any information storage or retrieval system, without the prior written permission of WABCO.